

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/423,974	01/05/2000	NADIA TERREN	05725.0490	7391
75	590 07/29/2003			
FINNEGAN HENDERSON FARABOW GARRETT & DUNNER 1300 I STREET NW WASHINGTON, DC 200053315			EXAMINER	
			WELLS, LAUREN Q	
			ART ŲNIT	PAPER NUMBER
			1617	
			DATE MAILED: 07/29/2003	2o

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Temperark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	 ATTORNEY DOCKET NO.

EXAMINER

ART UNIT PAPER

20

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply brief filed 7/7/03, Paper No. 19, has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lauren Q Wells whose telephone number is (703) 305-1878. The examiner can normally be reached on M-F (7-5:30), with alternate Mondays off. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on (703)305-1877. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9307 for After Final communications. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1234.

SREENI PADMANABHAN

PTO-90C (Rev.04-03)